

CLARIFICATIONS ON DVV

| Criterion | 7. Institutional Values and Best Practices |
|---------------------|---|
| Key Indicator | 7.1 Institutional Values and Social Responsibilities |
| Metric | 7.1.2 The Institution has facilities and initiatives for <ol style="list-style-type: none"> 1. Alternate sources of energy and energy conservation measures 2. Management of the various types of degradable and nondegradable waste 3. Water conservation 4. Green campus initiatives 5. Disabled-friendly, barrier free environment |
| HEI Input | A. 4 or All of the above |
| DVV Suggested Input | C. 2 of the above |
| DVV Findings | HEI to provide evidences for Water conservation through bunts and overhead tanks, Water distribution system 2) Disabled-friendly, barrier free environment by providing signage board , washrooms with railing support as required by divyangjan for their use 3) Management of the various types of degradable and non-degradable waste through waste segregation , incinerator , Vermi-compost; HEI to provide bills of purchase of solar panels, wheel chair; Also HEI to provide the bills of contract for bore well recharge, rain water harvesting system; Also HEI to provide the legible copies of bills of installation of BIO gas plant. |
| HEI Response | <ul style="list-style-type: none"> • The fresh geo-tagged photographs of e-boards for tanks, bunds, overhead tanks, water distribution systems. • The geo-tagged photographs of Disabled-friendly, barrier free environment by providing signage board, washrooms with railing support as required by Divyangjan for their use are provided. • The geo-tagged photographs of the management of various types of degradable and non-degradable waste through waste segregation, incinerators, vermi-composting are provided. • The bills of purchase for solar panels, wheelchairs are provided. • The bills of contract for bore well recharge and rainwater harvesting systems are provided. • The legible copies of the bills for the installation of the biogas plant are provided. <p>The HEI kindly requests DVV to consider the Change Input Option as 'A' (4 or All of the above).</p> |

HEI RESPONSE DOCUMENTS

| SL. NO | PARTICULARS | LINK |
|--------|---|----------------------|
| | Summary from the Head of HEI | VIEW |
| 1. | Evidence for water conservation | VIEW |
| 2. | Evidence for Disabled-friendly, barrier free environment | VIEW |
| 3. | Evidence for Management of the various types of degradable and non-degradable waste | VIEW |
| 4. | Bills of purchase of Solar panels, Wheel chair | VIEW |
| 5. | Bills of contract for Bore well recharge, Rain water harvesting system | VIEW |
| 6. | Bills of installation of BIO gas plant | VIEW |